



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

endian conversion method

Search

[Advanced Search](#)

[Preferences](#)

☐ Search the Web ☒ Search English and German pages

Web Results 1 - 10 of about **72,700** English and German pages for **endian conversion method**. (0.63 seconds)

Environment Variable F_UFMTENDIAN Method

Little-to-Big **Endian Conversion** Environment Variable. In order to use the little-endian-to-big-endian **conversion** feature, specify the numbers of the units ...

www.tacc.utexas.edu/services/ userguides/intel8/fc/f_ug1/cmp_endi.htm - 11k - [Cached](#) - [Similar pages](#)

EP1150214 Nippon european software patent - **Endian conversion** of ...

An **endian conversion method** according to Claim 9, wherein said (b) is performed in reference to a byte enable data (BE1) indicating said array of said unit ...

gauss.ffii.org/PatentView/EP1150214 - 66k - [Cached](#) - [Similar pages](#)

Environment Variable F_UFMTENDIAN Method

Environment Variable F_UFMTENDIAN **Method**. The little-endian-to-big-endian **conversion** feature is intended for Fortran unformatted input/output operations. ...

www.ncsa.uiuc.edu/UserInfo/Resources/ Hardware/XeonCluster/Doc/Intel_8.0.044/f_ug1/cmp_endi.htm - 14k - [Cached](#) - [Similar pages](#)

PCM2PCMConversionProvider (Tritonus API)

... Signed big **endian**; arbitrary **conversion** between 8/16/24/32 bit sample width

... **Methods** inherited from class org.triton.share.sampled.convert. ...

tritonus.sourceforge.net/apidoc/org/ tritonus/sampled/convert/PCM2PCMConversionProvider.html - 32k - [Cached](#) - [Similar pages](#)

IronDoc Endianess

On big **endian** platforms, the "big" (most significant) byte of an integer ...

This incremental **conversion** of blocks to wish endianess will not convert all ...

www.treedragon.com/ged/irondoc/irendian.htm - 21k - [Cached](#) - [Similar pages](#)

dBforums - Converting Little **Endian** to big **endian**

This **method** only works if aValue and bValue are unsigned, and bValue is a 16-bit value. ... I would like to know fastest way to do such **ENDIAN conversion**. ...

www.dbforums.com/archive/index.php/t-1168204.html - 11k - [Cached](#) - [Similar pages](#)

Compaq Fortran

Data storage uses a convention of either little **endian** or big **endian** storage,

... If none of these **methods** are specified, no **conversion** occurs between disk ...

nf.apac.edu.au/facilities/sc/compaq_mirror3/ progtool/unix-um/dfumdataconv.htm - 38k - [Cached](#) - [Similar pages](#)

LabVIEW Technical Resource - Optimizing Type Conversions to ...

LabVIEW normally stores flattened data in big **Endian** format for most data types.

One of our engineers found several ways to do this **conversion** and these are ...

www.ltrpub.com/LVResources/ articles/article_v12n2/article_v12n2.htm - 27k - [Cached](#) - [Similar pages](#)

EDais - JPEGInfo library

Methods:. ReadFile(). Description: This is the core of the class, it parses and

validates ... Return: Little **endian conversion**. SWordToDWord(). Description: ...


edais.mvps.org/Code/Libraries/JPEGInfo/ - 19k - [Cached](#) - [Similar pages](#)

CONVERT Specifier

Method Used, Precedence. An environment variable, Highest ... which might be processed and possibly written in native little **endian** format to unit 20: ...
nimbus.ocis.temple.edu/df90au51/lrm0553.htm - 7k - [Cached](#) - [Similar pages](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

endian memory address reflection

Search

[Advanced Search](#)
[Preferences](#)
☐ Search the Web ☒ Search English and German pages

Web Results 1 - 10 of about 7,330 English and German pages for endian memory address reflection. (0.24 seconds)

DAV's Endian FAQ

This theorem is the basis of computer **memory addressing**. ... While PCI is inherently little-**endian** (the first byte of **memory** is multiplexed with the ...

www.rdrop.com/~cary/html/endian_faq.html - 106k - [Cached](#) - [Similar pages](#)

Implementing Bit-addressing with Specialization

We use 'little-**endian**' **addressing** so the least significant bit of each word ... The last several **addresses** and **memory** values are stored in a table in the ...

draves.org/cmu-research/bit-addr/bit-addr.html - 55k - [Cached](#) - [Similar pages](#)

.NET 247 : BinaryReader - can it be forced to read a BigEndian ...

Windows client PC (native little **endian**) to be able to read a network stream ... object and it uses **reflection** to populate the various members, returning an ...

www.dotnet247.com/247reference/messages/51/258557.aspx - 36k -

[Cached](#) - [Similar pages](#)

General FAQ

Do you have any specific enhancements that **address** those markets? ... Please explain how your "Internal Page **Memory** System" operates ...

www.nsicom.com/Default.aspx?tabid=157 - 35k - [Cached](#) - [Similar pages](#)

[PDF] Topic 2: Basic Pipelining

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Addressing Modes. **Memory** is byte-addressible. Big-**endian** (bytes number 0, 1, 2, ...

CPI is an average measure, a **reflection** of throughput of instructions ...

www.cc.gatech.edu/classes/cs4760_98_fall/lectures/lecture2.pdf - [Similar pages](#)

G3D: Working with Files & Networks

... be written directly to disk (since they refer to live **memory addresses**), ... They can handle both big- and little-**endian** files and make appropriate ...

g3d-cpp.sourceforge.net/html/guidefiles.html - 14k - [Cached](#) - [Similar pages](#)

Patent 5537607: Field programmable general purpose interface ...

Micro Channel being little-**endian**, POS 0 is the lesser and POS 1 the more ... The

Register is loaded with the starting system **memory address** by the ...

www.freepatentsonline.com/5537607.html - [Similar pages](#)

Win32 API Programming with Visual Basic

cached device contexts, 401 CPUs, **address** format, 55 **memory** heaps, 230

obsolescence of, 141 ... little **endian**, 33 Load event, 184 LOADED_IMAGE structure, 254

...

www.oreilly.de/catalog/win32api/inx.html - 153k - [Cached](#) - [Similar pages](#)

Dictionary of Computer Science

address: a number which specifies the position of a particular **memory** ... big **endian**: written or stored with the most significant component first (eg 1997, ...

www.cs.bris.ac.uk/Teaching/Resources/COMS11200/jargon.html - 45k -

[Cached](#) - [Similar pages](#)

Executor Internals: How to Efficiently Run Mac Programs on PCs

For example, {f22 movel d0, mem} requires d0 to be cached in big **endian** ... is for

Sponsored Links

Unique Address Markers

130+ **Address** Plaques and Signs

100% Satisfaction Guaranteed.

www.krupps.com


SVGA's video **memory** to only be mapped into the PC **address** space through ...

www.emulatronia.com/doctec/ordenadores/mac/machack.html - 56k -

[Cached](#) - [Similar pages](#)

Goooooooooooooogle ▶

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

endian memory address reflection [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

endian code translation

Search

[Advanced Search](#)

[Preferences](#)

☐ Search the Web ☒ Search English and German pages

Web Results 1 - 10 of about **85,300 English and German pages** for **endian code translation**. (0.36 seconds)

PortAsm/86 for PowerPC

PortAsm/86 for PowerPC is a source-code translator which converts 80x86 ...
memory references to detect unaligned accesses and endian-dependent code. ...
www.microapl.co.uk/Porting/PortAsm86.html - 11k - [Cached](#) - [Similar pages](#)

PHPXRef 0.6 : WordPress SVN 1.6-ALPHA-do-not-use(r2724 17 July ...

... \$translate Definitions: 2 References: 4; \$translation Definitions: 2 ...
\$emailaddy References: 10; \$enc References: 8; \$endian References: 6 ...
www.cenamayo.com/wpxref/_variables/ - 198k - [Cached](#) - [Similar pages](#)

The Presentation Layer

Big Endian. Character Code Translation - Most computers use one of three binary
numbering systems to represent character sets. They are: ...
homepages.uel.ac.uk/u0212068/presentation%20Layer.htm - 10k - [Cached](#) - [Similar pages](#)

Corrupted screen with VNC on Linux for S/390

I think the endian problems you're seeing are in the XFree86 code, ... Lastly,
in the same directory, translate.c defines the BGR233 pixel format > with a ...
www.realvnc.com/pipermail/vnc-list/2000-December/018730.html - 6k - [Cached](#) - [Similar pages](#)

Purpose: Typical RESET sequence including memory programming on ...

Translation: Off // Endian: Processor Big // MPC10X Little ... between the //
exception table and code space. // // **Translation: Off // Endian: Little ...**
www.freescale.com/files/archives/software/app_software/code_examples/RESET105106COD.txt - 28k -
[Cached](#) - [Similar pages](#)

Dan Crevier's Blog : Thoughts on Apple on Intel rumors

... a certain code translation technology that promises close to native speeds.
... Theres the endian issues, the fact that G5 is fully 64 bit (and 32 bit), ...
blogs.msdn.com/dancree/archive/2005/06/04/425212.aspx - 26k - Jul 24, 2005 - [Cached](#) - [Similar pages](#)

Endianness in the Solaris Operating Environment

This document is a white paper on endianness. ... data from a source that may
not have the same endianness as the target machine on which the code will run. ...
developers.sun.com/solaris/developer/support/driver/wps/endianness/files/c0103.html - 24k -
[Cached](#) - [Similar pages](#)

Program Transformation Wiki / Binary Translation Research

The Object Code Translation home page, maintained by Markus Pilz, at the University
of Zurich. Markus is working on Java Bytecode Compilation techniques (a ...
www.program-transformation.org/Transform/BinaryTranslationResearch - 15k - [Cached](#) - [Similar pages](#)

ARMphetamine

Given that our aim is to translate code from one instruction-set ... I'll be
using little-endian ARM code. The task of converting directly from IA code to ...
armphetamine.sourceforge.net/oldinfo.html - 23k - [Cached](#) - [Similar pages](#)

Cached - Similar pages

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)



Search

©2005 Google



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

howto endian convert

Search

[Advanced Search](#)
[Preferences](#)

☐ Search the Web ☒ Search English and German pages

Web Results 21 - 30 of about 86,100 English and German pages for **howto endian convert**. (0.24 seconds)

[magick-users] how-to convert a 16-bit .ras to tiff?

Previous message: [magick-users] **how-to convert** a 16-bit .ras to tiff? ...

header 800 bytes Other issues might be big-endian versus little-endian, ...

studio.imagemagick.org/pipermail/magick-users/2003-March/007962.html - 4k - [Cached](#) - [Similar pages](#)

The Code Project - The Complete Guide to C++ Strings, Part I ...

(So on a big-endian CPU, the bytes would still be in the order shown above.)

Using string handling functions ... Re: **howto convert** dbcs to sbcs ...

www.codeproject.com/string/cppstringguide1.asp?df=100&forumid=11258&exp=0&select=1073800 - 80k -

[Cached](#) - [Similar pages](#)

CONVERT Specifier

The **CONVERT** specifier indicates a nonnative numeric format for unformatted data.

... 1 **INTEGER(1)** data is the same for little **endian** and big **endian**. ...

h18009.www1.hp.com/fortran/docs/lrm/lrm0553.htm - 7k - [Cached](#) - [Similar pages](#)

Java Forums - How to convert int to byte[]

How to convert int to byte[] Author: daberlin, Mar 22, 2005 8:25 AM ... br> *

The byte array will be in big-endian byte-order with a fixed length of 4 ...

forum.java.sun.com/thread.jspa?threadID=609364&messageID=3517577 - 44k - [Cached](#) - [Similar pages](#)

MRlcro software guide

SPMwin, SPM99, SPM2 and MRlcro can all read either big or little-endian Analyze

files ... MRlcro can also **convert** Analyze format images to the DICOM format. ...

www.psychology.nottingham.ac.uk/staff/cr1/mrlcro.html - 77k - [Cached](#) - [Similar pages](#)

Infosecwriters.com

To **convert** this address to little **endian**, we must first remove the 0x - this is

not necessary ... So our **converted** little **endian** address will look like so: ...

www.infosecwriters.com/texts.php?op=display&id=134 - 36k - [Cached](#) - [Similar pages](#)

Python Unicode Tutorial

We have seen **how to** construct a Unicode string. Now we can **convert** it to ...

In fact, there are two flavours, 'utf-16-le' for little-endian machines and ...

www.reportlab.com/i18n/python_unicode_tutorial.html - 13k - [Cached](#) - [Similar pages](#)

C# TIP: Converting & Sending Sockets Data with a Leading Length Value

Specifically, you need to know **how to convert** numeric data from the local ...

Note that I didn't say that it **converts** little-endian to big-endian because ...

www.developer.com/net/net/article.php/3331571 - 55k - [Cached](#) - [Similar pages](#)

Miscellaneous Topics

HOW TO INSTALL and **LOAD MRlcro**. 1. Follow installation directions at ... **Convert to**

ANALYZE, then save img file as big **endian** [Sun] (same as structural). ...

www.voxbo.org/manual/ch_misc.html - 13k - [Cached](#) - [Similar pages](#)

How to read IEEE files on DEC computers

If you are a DEC user, here is how you can use big-endian IEEE files in a Fortran program on ... OPEN (UNIT=10, CONVERT='BIG_ENDIAN', FORM='UNFORMATTED', ...) ...
www.scd.ucar.edu/zine/99/spring/text/2.dec.html - 5k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

howto endian convert

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google